

THE
UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE

AND

UTAH AGRICULTURAL EXPERIMENT STATION
UTAH STATE UNIVERSITY
LOGAN, UTAH

AND

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE

ANNOUNCE

THE RELEASE OF DOUGLAS CRESTED WHEATGRASS

DOUGLAS is the first hexaploid ($2n = 42$) cultivar of crested wheatgrass [*Agropyron cristatum* (L.) Gaertner s. lat.] to be released in North America. It was developed by a research team at the USDA-ARS Forage and Range Research Laboratory, Utah State University, Logan, Utah and was evaluated as 6X-BLR. The cultivar was named in honor of Douglas R. Dewey, who established the germplasm base for the USDA-ARS grass breeding program at Logan. The breeding population was derived from hybrids between an accession from the former Soviet Union (PI 406442) and three accessions from Iran (PIs 401076, 401080 and 401085,) and one accession from Turkey (PI 173622). Accession 406442 is characterized by exceptionally broad leaves and was used as the female parent in all crosses to retain the cytoplasm of this accession in the breeding population. Two cycles of selection were completed in spaced-plant nurseries for the broad-leaf type, vegetative vigor, seed yield potential, and response to plant pests and drought. The second-cycle population was screened for seed size and emergence from a 7.6-centimeter seeding depth. Breeder's seed was produced from a composite of 10 selected OP progeny lines.

DOUGLAS has larger seed than diploid and tetraploid cultivars, and it has exhibited excellent establishment vigor in field-evaluation trials. Based on emergence from 7.6-centimeter planting depth, seedling vigor of DOUGLAS was significantly greater than the cultivars Nordan, Fairway, and Ephraim and equivalent to the cultivar Hycrest. Although it produces less total forage yield than other crested wheatgrass cultivars, it is leafier and its leaves remain green for a longer period during the growing season than other cultivars. Grazing animals also have preferred 6X-BLR over other crested wheatgrass cultivars under sward conditions. Results from a semiarid range site in western Utah indicate that the *in vitro* digestibility (IVDMD) of its forage is significantly higher than that of other crested wheatgrass cultivars, particularly during the later stages of the growing season.

DOUGLAS has excellent winter hardiness, but it is not as resistant to drought as cultivars such as Hycrest and Nordan. It is recommended for range sites receiving at least 25 centimeters (10 inches) of annual precipitation at altitudes below 2,100 meters (7,000 feet). When drilled under dryland range conditions, a seeding rate of 8 kilograms/hectare (7 pounds/acre) is recommended. Based on data from

seed-increase blocks, Douglas produces approximately **400** kilograms of seed per ha (360 pounds/acre) on dryland sites receiving **35** centimeters (**14** inches) of annual precipitation. Supplemental irrigation would increase **seed** yields about **50** percent. This hexaploid cultivar will hybridize with other diploid and tetraploid **forms** of crested wheatgrass, although the fertility of the hybrid progenies is substantially reduced. Accordingly, isolation from all other crested wheatgrass plants, regardless of ploidy level, is required in **seed** production fields.

Breeder, Foundation, and Certified seed classes will be recognized. Breeder **seed** will be maintained by the USDA-ARS Forage and Range Research Laboratory at Logan, UT. Foundation **seed** will be produced by the USDA-ARS at Logan and distributed **to seed** growers by the Utah Crop Improvement Association. Protection **has** been applied for under the Plant Variety Protection Act of **1970**. Conditions of this license specify that **seed** of the cultivar DOUGLAS can be marketed **only as a class** of certified seed. For information regarding supplies of foundation **seed**, contact:

Stanford Young
Utah Crop Improvement Association
Plants, Soils, and Biometeorology Department
Utah **State** University
Logan, UT 84322-4820
(801) 797 2082

Release date for publicity purposes shall be effective on the date of the final signature on the release notice.

APPROVAL SIGNATURES:

JUL 01 1994
Date

Howard J. Brack
Administrator
Agricultural Research Service,
U. S. Department of Agriculture

May 4, 1994
Date

Karl Hansen
Director
Utah Agricultural Experiment Station

June 22, 1994
Date

R. L. Smith
Chief
Soil Conservation Service
U. S. Department of Agriculture

Table 1. Percent emergence of crested wheatgrass cultivars and the hexaploid broadleaf breeding populations from a 7.6-centimeter (3-inch) planting depth.

Entry	Mean	Range	Mean of top 10
Douglas	16.0	6.5 - 35.3	26.2
6X-BL	13.0	3.8 - 27.5	19.3
Hycrest	16.5	-----	----
Nordan	9.8	-----	----
Fairway	0.0	-----	----
Ephraim	1.5	-----	----
LSD (0.05)	6.6		

Table 2. Stand and dry matter yield of 34 grasses evaluated at USU Blue Creek Experiment Station, which has a mean annual precipitation of 36.6 centimeters (14.4 inches).

	Stand				Dry matter yield		
	1990	1991	1992	1993	1991	1993	Mean
	Rating ^{1/}				Kg/Plot		
BBWG Goldar	6.8	4.3	4.0	3.5	1.12	0.54	0.93
Douglas	5.8	5.5	6.0	6.8	1.30	1.67	1.49
CWG 6X-BL	5.8	6.5	6.3	6.5	1.50	1.68	1.59
CWG Ephraim	7.0	8.3	8.3	8.0	1.95	1.75	1.85
CWG Fairway	6.0	8.0	7.5	7.8	2.07	1.61	1.84
CWG Hycrest R89	8.8	9.0	9.0	8.8	2.81	1.89	2.35
CWG Hycrest NLF	8.5	8.8	8.3	8.8	2.61	2.12	2.36
CWG New Hybrid	7.8	8.5	8.0	8.5	2.24	1.82	2.03
CWG Nordan	5.5	7.3	7.3	8.5	2.36	2.00	2.18
CWG P 27	6.3	5.8	6.5	7.0	1.91	1.84	1.87
CWG R (Iran Turf)	6.8	6.5	6.8	8.0	1.88	1.81	1.84
CWG Siberian Syn	7.0	7.3	7.5	8.0	1.87	1.86	1.86
L. ang Prairieland	3.5	5.3	4.0	4.0	0.70	1.01	0.86
L. angustus Hybrid	1.8	1.8	1.3	2.0	0.12	0.67	0.39
L. karelinii	3.0	4.5	3.0	2.0	0.56	0.58	0.57
LC Hybrid	6.8	7.0	5.5	4.3	1.56	0.51	1.04
P. nodosum	6.3	6.8	6.3	5.3	1.53	0.62	1.07
RS-1 Hybrid	7.3	5.3	4.8	5.0	1.48	0.88	1.18
RS-Hoffman	6.8	5.8	5.5	6.3	1.75	1.14	1.45
RS-Miles City	7.8	6.3	5.8	7.3	2.05	1.36	1.71
RS-Spic Type	4.5	4.8	3.8	5.3	1.68	1.30	1.49
RS-T Hybrid	7.3	5.0	5.0	7.0	1.74	1.47	1.61
RWR Bozoisky	6.3	7.8	7.8	8.3	1.20	1.05	1.12
RWR Cabree	6.8	7.5	7.0	7.5	0.96	0.80	0.88
RWR Syn-A (2)	6.8	7.3	7.5	8.0	1.24	0.91	1.07
RWR Syn-A (F)	6.3	7.8	7.8	8.3	1.31	0.81	1.06
RWR Tetracan	5.8	7.0	7.0	7.5	0.95	0.92	0.93
RWR Vinall	5.3	6.5	6.5	8.0	0.89	0.78	0.83
SL Hybrid	7.0	6.5	6.5	6.5	1.61	0.78	1.20
SRWG Secar	3.8	3.0	4.3	4.3	0.99	0.60	0.80
TSAG Critana	5.0	6.8	6.0	5.3	1.88	0.75	1.32
TSAG T-21076	5.8	6.8	6.5	6.3	1.78	1.22	1.50
WWG Rosana	3.3	6.5	7.5	8.5	1.37	1.64	1.50
WWG Syn	3.0	5.8	6.8	8.0	1.18	1.49	1.33
MEAN	5.9	6.4	6.2	6.6	1.53	1.25	1.39
LSD (0.05)	1.0	1.0	1.3	1.2	0.41	0.32	0.29

^{1/} 1 = worst, 9 = best

Table 3. Stand establishment and forage yield of 25 grasses evaluated at Curlew Grasslands site near Stone, Idaho at 25-30 centimeters (10-12 inches) annual precipitation.

Entry	Stand				Dry Matter Yield		
	1990	1991	1992	1993	1992	1993	Mean
BBWG Goldar	2.5	1.8	1.0	0.8	0.00	0.00	0.00
Douglas	5.5	6.0	5.5	5.5	0.13	0.69	0.41
CWG 6X-BL	5.3	6.3	5.5	5.5	0.19	0.88	0.53
CWG Ephraim	3.3	4.0	4.3	7.0	0.13	1.01	0.57
CWG Fairway	5.8	6.5	6.8	7.8	0.16	0.88	0.52
CWG Hycrest R89	6.5	7.8	7.8	8.3	0.31	1.07	0.69
CWG Hycrest NLF	7.8	8.0	8.0	9.0	0.33	1.30	0.82
CWG New Hybrid	7.0	7.5	7.0	8.5	0.26	1.15	0.71
CWG Nordan	6.0	7.0	6.8	5.0	0.22	1.05	0.58
CWG P-27	2.3	2.5	2.5	5.5	0.16	0.88	0.52
CWG R (Iran Turf)	5.5	6.5	6.0	7.3	0.10	1.14	0.62
CWG Siberian Syn	7.5	8.0	8.5	8.3	0.30	1.19	0.74
LC Hybrid	2.0	1.5	1.0	1.0	0.01	0.00	0.01
P. 1 banotica	2.0	0.5	1.0	0.8	0.00	0.00	0.00
P. nodosum	1.5	1.0	1.0	0.5	0.00	0.00	0.00
Pseudopyron	1.0	0.0	0.3	0.3	0.00	0.00	0.00
RWR Bozoisky	3.8	5.3	4.8	7.0	0.13	0.50	0.31
RWR Cabree	3.3	4.3	4.0	5.0	0.32	0.47	0.29
RWR Syn A	4.8	5.3	5.0	6.0	0.13	0.42	0.28
RWR Vinall	4.5	3.8	3.8	4.8	0.09	0.31	0.20
SL Hybrid	1.8	1.3	1.0	1.0	0.01	0.00	0.01
SRWG Secar	1.3	1.0	1.0	1.0	0.01	0.00	0.01
TSAG T-21076	3.0	2.5	1.0	1.0	0.02	0.00	0.02
WWG Rosana	1.0	0.5	1.0	1.0	0.01	0.00	0.01
WWG Syn	1.3	0.8	1.0	0.8	0.00	0.00	0.00
Mean	3.8	4.0	3.8	4.3	0.11	0.86	0.39
LSD (0.05)	1.4	1.2	1.1	1.5	0.04	0.28	0.14

^{1/} 1 = worst, 9 = best

Table 4. Width and length of leaves, plant height, dry weight, crude protein, and IVDMD of crested wheatgrass cultivars and experimental strains. Data are from spaced plants at Evans Farm near Logan, UT, 1993.

	Leaf width	Leaf length	Plant ht	DW	Crude protein	IVDMD
----- centimeters ----- grams/plot --- percent --						
Douglas	0.95	15.1	63.8	0.81	10.2	41.5
6X-BL	0.92	14.9	54.3	0.49	8.7	41.2
Hcrest	0.76	17.0	65.1	1.20	9.1	40.0
Nordan	0.67	13.9	61.3	0.75	8.8	40.4
Fairway	0.66	13.2	48.5	0.83	9.3	40.3
Ephraim	0.64	12.1	59.0	0.83	9.3	39.5
Siberian	0.64	16.4	64.3	0.99	9.0	39.7
CWG-Turf	0.50	12.4	52.6	0.64	9.7	40.3
Mean	0.72	14.4	58.6	0.81	9.3	40.4
LSD (0.05)	0.08	1.3	6.6	0.35	ns	1.3

Table 5. Stand and dry matter yield of 15 grasses
at Soda Lake, Wyoming^{1/}.

Entry	Stand 92 Rating	Stand 93 Rating	Dry Weight (93) grams/plot
BBWG Goldar	6.5	7.8	257.0
Douglas	6.0	6.8	193.0
CWG 6X-BL	6.2	6.2	154.5
CWG Hycrest R	7.5	8.2	414.2
CWG New Hybrid	5.0	6.8	244.2
CWG Nordan	6.0	7.8	414.0
CWG P-27	5.2	6.2	321.5
CWG Siberian Syn	8.5	7.5	373.8
CWG Turf (R)	8.0	8.2	207.2
RST Hybrid	3.8	5.0	180.8
RWR Bozoisky	5.5	7.0	230.0
RWR Syn-A (E-91)	7.5	7.5	225.2
SL Hybrid	2.8	4.0	179.8
TSAG Critana	4.8	5.0	154.0
TSAG T21076	6.0	7.5	248.0
Mean	6.0	6.8	253.2
LSD (0.05)	1.8	0.9	72.0

^{1/} 1 = worst, 9 = best for stand data

Table 6. In vitro dry matter digestibility (IVDMD) and crude protein of crested wheatgrass strains and cultivars at Utah State University Blue Creek Experimental Farm at two harvest dates in 1991.

Entry	IVDMD			Crude Protein		
	5/6	6/18	Mean	5/6	6/18	Mean
Douglas	53.4	50.3	51.9	14.9	14.2	14.6
6XBL	52.4	49.6	51.0	13.5	13.0	13.2
CWG-R	47.4	45.1	46.1	12.6	12.1	12.3
Ephraim	47.9	46.3	47.1	12.6	12.6	12.6
Fairway	46.0	48.3	47.2	12.2	13.4	12.8
Frag-Syn	46.4	45.7	46.1	13.9	11.5	12.7
Hycrest NF	48.2	45.3	46.8	11.4	11.6	11.5
Hycrest RF	48.2	46.4	47.3	11.8	10.5	11.2
New Hybrid	49.0	48.0	48.5	11.4	12.1	11.7
Nordan	47.5	46.7	47.1	13.3	13.9	13.6
P-27	46.8	49.4	48.1	13.9	14.8	14.3
Mean	48.5	47.4	47.9	12.9	12.7	12.8
LSD(0.05)	4.1	4.0	2.6	2.7	2.5	1.4

Table 7. In vitro dry matter digestibility (IVDMD) and crude protein content of crested wheatgrass cultivars and experimental strains at Utah State University Blue Creek Experimental Farm at four harvest dates in 1993.

Entry	IVDMD					Crude Protein				
	6/11	6/25	8/4	9/1	Mean	6/11	6/25	8/4	9/1	Mean
Douglas	46.2	41.9	34.2	32.5	38.7	10.6	8.8	4.0	4.5	6.9
6XBL	46.6	42.4	35.8	35.4	40.1	9.6	8.6	4.3	4.4	6.7
CWG-R	43.5	37.2	29.1	26.9	34.2	9.8	6.9	3.8	2.6	5.7
Ephraim	45.2	37.4	28.2	27.3	34.5	11.4	7.1	3.3	3.1	6.2
Fairway	45.2	38.3	29.7	30.2	35.9	10.2	6.8	3.4	3.8	6.1
Frag-Syn	44.8	37.0	29.4	28.0	34.8	11.2	6.8	3.5	2.5	6.0
Hycrest NF	45.8	38.4	30.9	31.0	36.5	11.0	6.6	2.9	2.2	5.7
Hycrest RF	44.8	39.0	31.1	28.7	35.9	9.8	6.6	3.0	2.3	5.4
New Hybrid	44.8	38.4	30.5	29.4	35.8	9.4	6.5	3.3	2.5	5.4
Nordan	45.7	37.9	31.1	30.3	36.3	10.1	6.8	3.3	2.6	5.7
P-27	44.3	38.8	30.1	29.9	35.8	10.2	7.9	3.4	2.8	6.0
Mean	45.2	38.8	30.9	30.0	36.2	10.3	7.2	3.5	3.0	6.0
LSD(0.05)	ns	1.4	2.7	2.2	1.5	ns	0.6	ns	1.1	0.8

DISTRIBUTION LIST FOR RELEASE OF 'VAVILOV' CRESTED WHEATGRASS:

DOUGLAS

Agriculture Canada
Research Station
Lethbridge, Alberta
CANADA

Sergey M. Alexanyan
Head, Foreign Relations
N. I. Vavilov Institute of Plant Industry
42 Herzen Street
190000, St. Petersburg, RUSSIA

Edie Allen
Systems Ecology Research Group
College of Sciences
San Diego State University
San Diego, CA 92182-0401

Bruce Anderson
Department of Agronomy
353 Keim Hall
University of Nebraska
Lincoln, NE 68583

John Aspitarte
Bureau of Land Management
400 west F street
P.O. Box 2B
Shoshone, ID 83352

A. A. Baltensperger
Agronomy & Horticulture Department
Box 3Q
New Mexico State University
Las Cruces, NM 88003

David D. Baltensperger
Panhandle Research & Extension Center
University of Nebraska-Scottsbluff
4502 Avenue 1
Scottsbluff, NE 69361

R. E. Barker
National Forage Seed Production Center
Oregon State University
3450 S W Camps Way
Corvallis, OR 97331-7102

Donald K. Barnes
USDA-ARS
Dept. of Agron. & Plant Genetics
University of Minnesota
St. Paul, MN 55108

Thomas E. Bedell
Dept. of Rangeland Resources
Oregon State University
Corvallis, Oregon 97331

John D. Berdahl
USDA-ARS
Northern Great Plains Research Lab.
P.O. Box 459
Mandan, ND 58554

C. C. Berg
USDA-ARS
U. S. Regional Pasture Research Lab
University Park, PA 16802

Marcus Blood
OO-ALC/EMX
7274 Wardleigh Road
Hill AFB, Utah 84056-5127

A. A. Boe
NPB 244A
Plant Science Dept
south Dakota state University
Brookings, SD 57007

Botany & Plant Sciences Dept.
University of California
Riverside, CA 92521

Bureau of Land Management
2300 West 2370 South
Salt Lake City, UT 84111

Byron L. Burson
USDA-ARS
Soil and Crop Science Dept.
Texas A&M University
College Station, TX 77843

Glenn W. Burton
USDA-ARS
Coastal Plain Experiment Station
Tifton, GA 31793

Stuart M. Cannon
HQ USA Forces Command
Fort McPerson, GA 30330-6000

Irving T. Carlson
Department of Agronomy
Iowa State University
Ames, IA 50011

J. R. Carlson
USDA-SCS-TISD
2625 Redwing Road
Suite 110
Ft. Collins, CO 80526

M. D. Casler
Department of Agronomy
University of Wisconsin
1575 Linden Drive
Madison, WI 53706

Raymond L. Clark
USDA-ARS
Regional Plant Introduction station
Washington State University
Pullman, WA 99164-6402

Orrin Clayton
Canadian Seed Growers Association
P.O. Box 8455
Ottawa, Ontario CANADA
K1G 3T1

Harry Counsil
Arkansas valley Seed CO.
4625 Colorado Blvd
Denver, CO 80216

Patrick I. Coyne
Fort Hayes Branch Experiment Station
Route 2
Rays, KS 67606

Robin L. Cuany
Dept. of Agronomy
Colorado State University
Fort Collins, CO 80523

Sean Currans
Director, Field Production
Pennington Seed Inc. of Oregon
P.O. Box 386
Lebanon, OR 97355

P. O. Currie
Route 2
Box 3022
Miles City, MT 59301

Chester L. Dewald
USDA-ARS
Southern Plains Range Research Station
2000 18th Street
Woodward, OK 73801

Ray L. Ditterline
Dept. of Plant and Soil Science
Montan State University
Bozeman, MT 59717

R. W. Duell
Dept. of Soils and Crops
Rutgers, The State Univ. of New Jersey
New Brunswick, NJ 08903

Eastern Oregon Agricultural Research Station
Squaw Butte Station
Star Route 1-4.51, Highway 205
Burns OR 97720

S. A. Eberhart
National Seed Storage Laboratory
USDA-ARS
Colorado State University
Ft Collins, CO 80523

N. J. Ehlike
Dept. of Agron. & Plant Genetics
411 Borlaug Hall
1991 Buford Circle
St. Paul, MN 55108

M. C. Engelke
Texas A & M Univ.
Research and Extension Center at Dallas
17360 Coit Road
Dallas, TX 75252

Robert J. Falasca
National Council of Commercial Plant Breeders
Suite 964
Executive Building
1030 15th Street N.W.
Washington, D.C. 20005

Don Floyd
Research Agronomist
Pickseed West Inc.
Box 888
Tangent, Oregon 97389

Forage and Livestock Research Lab.
P.O. Box 1199
El Reno, OK 73036

Tim Ford
Genesis Seed Co.
P.O. Box 10
Huntsville, UT 84317

C. R. Funk
Dept. of soils and Crops
P. O. Box 231
Rutgers University
New Brunswick, NJ 08903

M. R. George

Department of Agronomy and Range Science
University of California - Davis
Davis, CA 95616

Jacy Gibbs

USDA Soil Conservation Service
Room 124, 3244 Elder Street
Boise, ID 83705

Wes Green

Bureau of Reclamation
Federal Bldg.
550 W. Fort Street
Boise, ID 83724

Allan Greenway

Greenway Seed Co.
1111 Andy Lane
Caldwell, ID 83605

Hay and Forage Grower

Webb Division, Intertec Publishing Corp.
7900 International Drive
Minneapolis, Minnesota 55425

Russell Haas

USDA-Soil Conservation Service
Bismarck Plant Material Center
P.O. Box 1458
Bismarck, ND 58502-1458

Marshall R. Haferkamp

USDA-ARS
Ft. Keogh Livestock
and Range Research Station
Route 1, Box 2021
Miles City, MT 59301

Wayne W. Hanna

USDA-ARS
Coastal Plains Experiment Station
Tifton, GA 31794

Wendell G. Hassell
USDA-Soil Conservation Service
2490 West 26th Ave.
Building A 3rd Floor
Denver, CO 80211

Hay and Forage Grower
Webb Division, Intertec Publishing Corp.
7900 International Drive
Minneapolis, Minnesota 55425

Chris Hoag
USDA-SCS Plant Materials Center
P.O. Box AA
Aberdeen, Idaho 83210

J. L. Holecheck
Department of Animal and Range Sciences
New Mexico State University
Las Cruces, NM 88003

Larry Holzworth
USDA-Soil Conservation Service
10 East Babcock Street
Bozeman, MT 59715

R. D. Horrocks
Department of Agronomy & Horticulture
289 Widstoe Building
Brigham Young University
Provo, UT 84602

Jay Hould
Big Sky Wholesale Seeds
P.O. Box 852
Shelby, MT 59474

M. A. Hussey
Dept. of Soil and Crop Sciences
Texas A & M University
College Station, Texas 77843

Idaho Dept. of Agriculture
2270 Old Penitentiary Rd.
Boise, ID 83712

Oseco Incorporated
Box 219
Brampton, Ontario (L6V 2L2)
CANADA

Jacklin seed Co.
1490 Industrial Way
Albany, OR 97321

Paul G. Jefferson
Agriculture Canada, Research Station
P.O. Box 1030
Swift Current, Sask. S9H 3X2

Kendall Johnson
Range Resources Department
University of Idaho
Moscow, ID 83843

R. R. Kalton
Department of Agronomy
Iowa State University
Ames, IA 50011

G. A. Kielly
Agriculture Canada Research Station
P. O. Box 1030
Swift Current, SASK. S9H 3X2

L. J. Klebesadel
Box 817
Palmer, Alaska 99645

David Koch
Plant science Dept.
4009 Agriculture Building
university of Wyoming
Laramie, WY 82071

Charles A. Laible
Funk Seeds International
1300 W. International Street
Bloomington, IL 61701

4
Scott M. Lambert
USDA-SCS
Rock Pointe Tower II, Suite 450
316 W. Boone Ave.
Spokane, WA 99201-2348

William A. Laycock
Department of Range Management
Box 3354, University Station
University of Wyoming
Laramie, WY 82071

W. Eric Limbach
Department of Biological Sciences
Campus Box 8007
Idaho State University
Pocatello, ID 83209

Jeff C. Linn
Range Management Branch
HG Fort Carson & 4th Infantry Division (Mech)
AFZC-ECM-NR Building 302
Fort Carson, CO 80913-5000

Max G. Long
Department of Agriculture, Seed Branch
2015 South First Street MS-3
Yakima, Washington 98903

Greg Lowry
Idaho Crop Improvement Assn.
1641 Curtis Rd.
Boise, ID 83705

Randy Mandel
Upper Colorado Environmental
Plant Center
5538 RB. County Road 4
P.O. Box 448
Meeker, CO 81641

A. B. Mauder
Dekalb Pfizer Genetics
Route 2
Lubbock, TX 79415

E. Durant McArthur
USDA-Forest Service
shrub Sciences Laboratory
735 Noah 500 East
Provo, UT 84606

T. J. McCoy
Dept. of Plant and Soil Science
Montana State University
Bozeman, MT 59717

Kirk C. McDaniel
Animal and Range Sciences Dept.3-1
Box 30003
Las Cruces, New Mexico 88003-0003

Michael L. McInnis
Ag. Prog., 204 Zabel Hall
Eastern Oregon State College
La Grande, OR 97850

C. M. McKell
Dean, School of Science
Weber State College
Ogden, UT 84408-2501

John W. McKenzie
Belfield
Hakataramea Valley, R.D.
Kurow
Nth Otago NEW ZEALAND

Bill Merrigan
Grassland West Co.
P. O. Box A
Culdesac, ID 83525

W. A. Meyer
Pure Seed Testing Inc.
3057 G Street, P.O. Box 449
Hubbard, Oregon 97032

Chad E. Miebach
Cascade International Seed Co.
8483 W. Stayton Rd.
Aumsville, Oregon 97325-9769

Dwane G. Miller
Department of Crop and Soil Sciences
Washington State University
Pullman, W A 99164-6420

Steven B. Monsen
USDA-Forest Service
Shrub Sciences Laboratory
735 North 500 East
Provo, UT 84606

Jack A. Morgan
USDA-ARS
Crops Research Laboratory
1701 Center Ave.
Ft. Collins, CO 80526

Peter E. Nissen
Yakima Firing Center
Yakima, Washington 98901

Northrup King Co.
2850 Golden State Blvd.
Fresno, CA 93725

Wendall R. Oaks
USDA-Soil Conservation Service
Plant Materials Center
1036 Miller St., NW
Los Lunas, NM 87031

Antonio J. Palazzo
U. S. Army Cold Regions Research
and Engineering Laboratory
72 Lyme Road
Hanover, NH 03755-1290

Petoseed Company, Inc.
Route 4, Box 1255
Woodland, CA 95695

Dale Pocock
Sunnybank Seed Farm
Box 749
Nipawin, Sask., CANADA SOE 1EO

Neil Poulson
Poulson Seed Company
2849 North Pleasant Valley Road
American Falls, ID 83211

Jerry T. Quisenberry
Cropping Systems Research Laboratory
Route 3, Box 215
Lubbock, TX 79401

Jon Reich
Vista Research
Box 1428
Woodland, CA 95695-1428

S. C. Schank
2183 McCarty Hall
University of Florida
Gainesville, FL 32611

John G. Scheetz
USDA-SCS Plant Materials Center
Route 1 Box 1189
Bridger MT 59014

John A. Schillinger
Asgrow Seed Company
9672-190-16
Kalamazoo, MI 59001

Lynn Schultz
Kenneth C-Lang Seeds
Box 100
Spring Cooly, Alberta
CANADA TOK 2CO

Fred Schumacher
RR2, Box 231
Kindred, ND 58051

Gerald Schuman
USDA-ARS
High Plains Grasslands Research Station
8408 Hildreth Road
Cheyenne, WY 82009

M. C. Shannon
USDA-ARS
U. S. *salinity* Laboratory
4500 Glenwood Drive
Riverside, CA 92501

Sharp Bros. Seed Co.
P. O. Box 140
Healy, KS 67850

Nancy Shaw
U. S. Forest Service
315 Myrtle Street
Boise, ID 83702

Sergey V. Shuvalov
Foreign Relations
N. I. Vavilov Institute of Plant Industry
42 Herzen Street
190000, St Petersburg RUSSIA

D. A. Sleper
Dept. of Agronomy
University of Missouri
Columbia, MO 65211

Richard R. Smith
USDA-ARS
1925 Linden Drive West
University of Wisconsin
Madison, WI 53706

Richard Stevens
Great Basin Experiment station
Ephraim, UT 84627

Sam E. Stranathan
USDA-Soil Conservation Service
655 Parfet St.
Room E200C
Lakewood CO 80215-5517

Sam Stratton
FFR Cooperative
4112 East State Road 225
West Lafayette, IN 47906

Roger Styner
Grassland West Co.
P.O. Box 489
Clarkston, WA 99403

C. M. Taliaferro
Dept. of Agronomy
Oklahoma State Univ.
Stillwater, OK 74078

Treasure State Seed Company
P.O. Box 698
Fairfield, MT 59436

Uinta County Extension Office
228 9th Street
Evanston WY 82930

USDA-ARS
Snake River Conservation Research Center
Route 1, Box 186
Kimberly, ID 83341

USDA-SCS
P.O. Box 68
Lockeford, CA 95237

K. P. Vogel
USDA-ARS
Department of Agronomy
University of Nebraska-Lincoln
Lincoln, NE 68583-0910

Peggy Wagoner
Rodale Research Center
R. D. #1, Box 323
Kutztown, PA 19530

P. D. Walton
Department of Plant Science
416E Agriculture and Forestry Building
University of Alberta
Edmonton, Alberta CANADA T6G 2P5

Richard S. White
Kansas Agric. Exp. Stn.
RR 2, Box 830
Colby, Kansas 67701

Richard Wilson
Utah Department of Agriculture
315 North Redwood Road
Salt Lake City, Utah 84116-3087

Al Winward
USDA-Forest Service (R-4)
Ogden, UT 84401

Gary Young
USDA-SCS Plant Materials center
P.O. Box AA
Aberdeen, Idaho 83210

James A. Young
USDA-ARS
920 Valley Road
Reno, NV 89512